

Wilson Bohannan Padlock Company



Table of Contents

- Tab 1 - Why Wilson Bohannon
All the benefits you get only from WB.
- Tab 2 - General Purpose Padlocks
Weatherproof solid brass padlocks made to last a lifetime.
- Tab 3 - High Security Padlocks
Double Ball padlocks. Highest resistance to pulling and prying.
- Tab 4 - Interchangeable Core Padlocks
Lost key? Personnel change? IC padlocks re-key in seconds.
- Tab 5 - Door Key Compatible Padlocks
Convenience and control. One key for your doors and padlocks.
- Tab 6 - Cylinders
Mortise/Rim cylinders
- Tab 7 - Accessories
We offer just about every padlock accessory there is.
- Tab 8 - Custom Identification**
Customize your padlock or accessory with name, logo or whatever you want.
- Tab 9 - Lockout/Tagout Systems
Wide variety of safety lockout products.
- Tab 10 - Keying Options
Keyed alike, keyed different, master keyed, grand master keyed and even keyed alike to other manufacturer's keyways.
- Tab 11 - Ordering Info
How to order easily by phone or online.

Wilson Bohannon started making padlocks in his garage in 1860.



Today we are the oldest family-owned padlock company in the U.S.



11 Key Reasons Why Wilson Bohannon is a Solid Value for Your Security Investment.

- Rustproof and Weatherproof.** Solid brass construction padlocks that stand the test of time.
- Lifetime Guarantee** Guaranteed against manufacturing defects for the life of the lock.
- 100% Made in America** American ingenuity and hard work proudly succeeding since 1860.
- One Source for Multitude of Security System Solutions** The following points illustrate our versatility.
- Custom Identification** Customize your padlock with names, numbers, colors, logos, artwork - whatever you want.
- Restricted Keyways** Offered for additional security.
- Multiple Keying Options** Keyed alike, keyed different, master keyed, grand master keyed and even keyed alike to other manufacturer's keyways.
- Widest Variety of Accessories** We offer just about every padlock accessory there is - chains, tags, boots - you name it.
- Personal Customer Service** Padlock professionals - real people - who enjoy helping customers and answering questions.
- High Tech Manufacturing** We utilize the most technologically advanced manufacturing processes and equipment of any padlock manufacturer in the world.
- Emergency Delivery** Call us in an emergency situation and we pledge to do everything we can to meet your delivery needs.



Wilson Bohannon Product Highlights

Here's a quick overview of the types of brass locks and supporting products and services from Wilson Bohannon. Padlocks available with brass, steel or stainless steel shackles.

General Purpose "Classic" Padlocks

The classic design of these all-weather solid brass padlocks is ideal for Utility, Industrial and Commercial use. Over 50 models.



High Security Padlocks (Double Ball Locking)

High security solid brass padlocks are specifically designed for high security areas and industries in a highly corrosive environment. They have two stainless steel balls that lock both sides of the padlock shackle, and a five-pin tumbler mechanism that allows for a wide variety of keying systems. Over 40 models.

Interchangeable Core Padlocks

The padlock solution when security has been compromised, such as when a key is lost or stolen or when a personnel change takes place. The core in a solid brass interchangeable core padlock can be extracted in seconds from one padlock, and then installed into another, effectively re-keying the padlock. Over 40 models available.



Door Key Compatible Padlocks (Key-In-Knob)

For convenience and security control, over 29 models of solid brass Key-in-Knob padlocks can be keyed to any or all of your door keys. They're compatible with most major OEM Key-in-Knob Cylinders, and available with Lori or Schlage style drivers and brass or stainless steel cylinder retainers.

Cylinders

Rim and mortise cylinders may be keyed to integrate with most existing Wilson Bohannon keying systems, and can be adapted to most other standard OEM keyways and systems. Available in brass or satin chromium finish. Mortise cylinders available in seven different cam styles. Rim cylinders have two breakaway tail sizes available.



Accessories and Custom Identification

Sometimes it's the little things – like accessories – that make all the difference. Custom identification, shackle and body chains, ID tags, caps, boots, sleeves, numbering locks and keys, lockout hasps, keyhole covers, color coding - we offer just about every accessory there is.

Why 100% Made in America Makes a Difference



The Wilson Bohannan Lock company has been manufacturing padlocks for over 155 years.

Mr. Wilson Bohannan started manufacturing locks in his garage with his son, Todd, in 1860 in Brooklyn, New York. Mr. Wilson Tway, the founder's grandson, moved the factory to Marion, Ohio in 1926 where it remains today.

Wilson Bohannan padlocks have always been made in America. We employ Americans who are among the finest workers in the world, and keep all of our revenue from the business in America. We believe this has the most benefit for our country.



Our seven-generation family business is successful because of the many fine people who work for WB. Our corporate family is proud of what we have accomplished. Our employees are industrious, reliable and committed to make the finest padlocks of any lock manufacturer.



State-of-the-Art Manufacturing


Wilson Bohannan utilizes the most technologically advanced manufacturing processes of any padlock manufacturer in the world.



With our state-of-the-art CNC machines and our in-house end-to-end padlock design systems, we are able to develop almost any possible locking device our customer might need.



Wilson Bohannan uses high-speed multi-spindle machines that allow us to accurately make our major locking component parts quickly, efficiently and to the highest tolerances.



Our high standards insure unmatched quality control and precision manufacturing processes. This enables WB to give our customers a lifetime guarantee on all of our products.

Letter from the Family



Sarah Russell, Trish Kozlik and Howard Smith

The high standards and values Mr. Wilson Bohannon put into every padlock his family business produced has carried forward since 1860 until today. Our family is proud to have provided seven generations of the finest quality padlocks and locking devices in the world today.

Many factors distinguish our padlocks from our competition. We are especially proud of the fact, from our inception in Brooklyn, New York to our move to Marion, Ohio in 1926, that we have always been 100% American made.

Another factor is our customer service and sales departments strive to provide every customer with prompt answers to all of their inquiries and prompt delivery of our products. You have our guarantee we will do everything possible to meet and exceed your wants and needs.

The Wilson Bohannon Lock Company has the finest machinery and technology in place to produce the highest quality padlocks. Our engineering department and support staff can assist you with locking devices and meet whatever your needs might be.

General Purpose "Classic" Padlocks

Industrial Plants Railroads Harsh Weather Conditions
 Tool Boxes Government



Manufacturing Facilities (OEM) Storage Buildings
 Substations Waste Equipment Utility Industry
 Security Gates Trucks Shipping & Cargo Containers
 Sheds Safety Lockout/Tagout

General Purpose "Classic" Padlocks

The classic design of these all-weather solid brass padlocks is ideal for Utility, Industrial and Commercial use. Wilson Bohannon offers over 50 models to choose from, available with brass, hardened steel or stainless steel shackles.



WB Highlights

- Rustproof solid brass pin tumbler padlocks.
- Top quality padlocks at a competitive price.
- Over 50 Wilson Bohannon models in a variety of sizes to meet any padlock need.
- Weather resistant brass and stainless steel shackles available.
- Custom monogramming and numbering available.
- Widest variety of accessories available.
- Satisfaction guaranteed.

WB General Purpose Padlock Models

- Series 0 - 1 1/8" Body Width
- Series 1 - 1 1/2" Body Width
- Series 4 - 1 1/2" Body Width
- Series 5 - 1 1/2" Body Width
- Series 6 - 1 3/4" Body Width
- Series 9 - 2" Body Width
- Series C - 1 1/2" Body Width




No need to get rid of existing padlocks. We can make solid brass padlocks that will key into your existing system. Ask us how.




General Purpose Padlocks

Series 0 - 1 1/8" Body Width
4 Pin Tumbler Mechanism



MFG Series 0	Shackle Sizes			Body Width	Shackle Materials
MODEL #	A	B	C	D	
001	3/16"	5/8"	5/8"	1 1/8"	BRASS
021	3/16"	1"	5/8"	1 1/8"	BRASS
061	3/16"	2"	5/8"	1 1/8"	BRASS




Series C - 1 1/2" Body Width
5-6 Pin Tumbler Mechanism

MFG Series C	Shackle Sizes			Body Width	Shackle Materials
MODEL #	A	B	C	D	
C11	3/16"	7/8"	25/32"	1 1/2"	BRASS
C21	3/16"	1"	25/32"	1 1/2"	BRASS
C61	3/16"	2"	25/32"	1 1/2"	BRASS



General Purpose Padlocks

Series 1 - 1 1/2" Body Width
5-6 Pin Tumbler Mechanism




MFG Series 1	Shackle Sizes			Body Width	Shackle Materials
MODEL #	A	B	C	D	
111	1/4"	7/8"	13/16"	1 1/2"	BRASS
112	1/4"	7/8"	13/16"	1 1/2"	HARDENED STEEL
141	1/4"	1 1/2"	13/16"	1 1/2"	BRASS
142	1/4"	1 1/2"	13/16"	1 1/2"	HARDENED STEEL
161	1/4"	2"	13/16"	1 1/2"	BRASS
162	1/4"	2"	13/16"	1 1/2"	HARDENED STEEL
172	1/4"	3"	13/16"	1 1/2"	HARDENED STEEL
181	1/4"	4"	13/16"	1 1/2"	BRASS
182	1/4"	4"	13/16"	1 1/2"	HARDENED STEEL
192	1/4"	5"	13/16"	1 1/2"	HARDENED STEEL
1A1	1/4"	6"	13/16"	1 1/2"	BRASS
1B1	1/4"	8"	13/16"	1 1/2"	BRASS
1B2	1/4"	8"	13/16"	1 1/2"	HARDENED STEEL



General Purpose Padlocks

Series 4 - 1 1/2" Body Width
5 Pin Tumbler Mechanism




MFG Series 4 Meter Locks	Pin Sizes		Body Width	Pin Materials
MODEL #	A	B	D	
4E4	3/8" No Pin	No Pin	1 1/2"	No Pin
4F4	5/16" No Pin	No Pin	1 1/2"	No Pin
402	3/8"	5/8"	1 1/2"	STEEL
412	3/8"	7/8"	1 1/2"	STEEL
472	3/8"	3"	1 1/2"	STEEL



General Purpose Padlocks

Series 5 - 1 1/2" Body Width
5 Pin Tumbler Mechanism



MFG Series 5	Shackle Sizes			Body Width	Shackle Materials
MODEL #	A	B	C	D	
511	9/32"	7/8"	25/32"	1 1/2"	BRASS
512	9/32"	7/8"	25/32"	1 1/2"	HARDENED STEEL
513	9/32"	7/8"	25/32"	1 1/2"	STAINLESS STEEL
531	9/32"	1 1/4"	25/32"	1 1/2"	BRASS
541	9/32"	1 1/2"	25/32"	1 1/2"	BRASS
542	9/32"	1 1/2"	25/32"	1 1/2"	HARDENED STEEL
543	9/32"	1 1/2"	25/32"	1 1/2"	STAINLESS STEEL
571	9/32"	3"	25/32"	1 1/2"	BRASS
572	9/32"	3"	25/32"	1 1/2"	HARDENED STEEL



General Purpose Padlocks


Series 6 - 1 3/4" Body Width
5-6 Pin Tumbler Mechanism



MFG Series 6	Shackle Sizes			Body Width	Shackle Materials
MODEL #	A	B	C	D	
611	5/16"	7/8"	7/8"	1 3/4"	BRASS
612	5/16"	7/8"	7/8"	1 3/4"	HARDENED STEEL
613	5/16"	7/8"	7/8"	1 3/4"	STAINLESS STEEL
631	5/16"	1 1/4"	7/8"	1 3/4"	BRASS
633	5/16"	1 1/4"	7/8"	1 3/4"	STAINLESS STEEL
651	5/16"	1 5/8"	7/8"	1 3/4"	BRASS
652	5/16"	1 5/8"	7/8"	1 3/4"	HARDENED STEEL
653	5/16"	1 5/8"	7/8"	1 3/4"	STAINLESS STEEL
6C1	5/16"	1 3/4"	7/8"	1 3/4"	BRASS
661	5/16"	2"	7/8"	1 3/4"	BRASS
662	5/16"	2"	7/8"	1 3/4"	HARDENED STEEL
663	5/16"	2"	7/8"	1 3/4"	STAINLESS STEEL
6D1	5/16"	2 1/2"	7/8"	1 3/4"	BRASS
671	5/16"	3"	7/8"	1 3/4"	BRASS
673	5/16"	3"	7/8"	1 3/4"	STAINLESS STEEL
681	5/16"	4"	7/8"	1 3/4"	BRASS
682	5/16"	4"	7/8"	1 3/4"	HARDENED STEEL

General Purpose Padlocks

Series 9 - 2" Body Width
5-6 Pin Tumbler Mechanism



MFG Series 9	Shackle Sizes			Body Width	Shackle Materials
MODEL #	A	B	C	D	
921	3/8"	1"	1"	2"	BRASS
922	3/8"	1"	1"	2"	HARDENED STEEL
923	3/8"	1"	1"	2"	STAINLESS STEEL
941	3/8"	1 1/2"	1"	2"	BRASS
961	3/8"	2"	1"	2"	BRASS
962	3/8"	2"	1"	2"	HARDENED STEEL
963	3/8"	2"	1"	2"	STAINLESS STEEL
9D1	3/8"	2 1/2"	1"	2"	BRASS
981	3/8"	4"	1"	2"	BRASS



High Security Padlocks


Industrial Plants Railroads Harsh Weather Conditions
 Tool Boxes Government



Manufacturing Facilities (OEM) Storage Buildings
 Substations Waste Equipment Utility Industry
 Security Gates Trucks Shipping & Cargo Containers
 Sheds Safety Lockout/Tagout

High Security Padlocks (Double Ball Locking)

These padlocks have two stainless steel balls that lock both sides of the padlock shackle, and a five-pin tumbler mechanism that allows for a wide variety of keying systems. They are specifically designed for high security areas such as government facilities, security gates, utility substations, and industries in a highly corrosive environment. We offer over 40 models of high security padlocks, available with hardened steel, brass, stainless steel or hardened stainless steel shackle materials. Brass and stainless steel materials prevent rusting and extend the life of the padlock.



Wilson Bohannon Double Ball High Security Padlock Models

Series V - 1 1/2" Body Width
 Series X - 1 3/4" Body Width
 Series Y - 2" Body Width




No need to get rid of existing padlocks. We can make solid brass padlocks that will key into your existing system. Ask us how.



High Security Padlocks (Double Ball Locking)

Series V - 1 1/2" Body Width 5 Pin Tumbler Mechanism



MFG Series V	Shackle Sizes			Body Width	Shackle Materials
MODEL #	A	B	C	D	
VT5	9/32"	3/4"	25/32"	1 1/2"	HARDENED STAINLESS STEEL
VG1	9/32"	1 1/8"	25/32"	1 1/2"	BRASS
VG2	9/32"	1 1/8"	25/32"	1 1/2"	HARDENED STEEL
VG3	9/32"	1 1/8"	25/32"	1 1/2"	STAINLESS STEEL
V45	9/32"	1 1/2"	25/32"	1 1/2"	HARDENED STAINLESS STEEL
V61	9/32"	2"	25/32"	1 1/2"	BRASS
V62	9/32"	2"	25/32"	1 1/2"	HARDENED STEEL
V63	9/32"	2"	25/32"	1 1/2"	STAINLESS STEEL
V71	9/32"	3"	25/32"	1 1/2"	BRASS
V72	9/32"	3"	25/32"	1 1/2"	HARDENED STEEL
V73	9/32"	3"	25/32"	1 1/2"	STAINLESS STEEL

Key-retaining feature available for all models in this section.





High Security Padlocks (Double Ball Locking)



Series X - 1 3/4" Body Width
5-6 Pin Tumbler Mechanism


MFG Series X	Shackle Sizes			Body Width	Shackle Materials
MODEL #	A	B	C	D	
XT5*	5/16"	3/4"	27/32"	1 3/4"	HARDENED STAINLESS STEEL
XG1	5/16"	1 1/8"	27/32"	1 3/4"	BRASS
XG2	5/16"	1 1/8"	27/32"	1 3/4"	HARDENED STEEL
XG3	5/16"	1 1/8"	27/32"	1 3/4"	STAINLESS STEEL
XG5*	5/16"	1 1/8"	27/32"	1 3/4"	HARDENED STAINLESS STEEL
X43	5/16"	1 1/2"	27/32"	1 3/4"	STAINLESS STEEL
X45*	5/16"	1 1/2"	27/32"	1 3/4"	HARDENED STAINLESS STEEL
X61	5/16"	2"	27/32"	1 3/4"	BRASS
X62	5/16"	2"	27/32"	1 3/4"	HARDENED STEEL
X63	5/16"	2"	27/32"	1 3/4"	STAINLESS STEEL
X65*	5/16"	2"	27/32"	1 3/4"	HARDENED STAINLESS STEEL
X71	5/16"	3"	27/32"	1 3/4"	BRASS
X72	5/16"	3"	27/32"	1 3/4"	HARDENED STEEL
X73	5/16"	3"	27/32"	1 3/4"	STAINLESS STEEL
X82	5/16"	4"	27/32"	1 3/4"	HARDENED STEEL

* Meets or exceeds grade 5 of the ASTM F883 standards for cutting
Key-retaining feature available for all models in this section.



High Security Padlocks (Double Ball Locking)

Series Y - 2" Body Width
5-6 Pin Tumbler Mechanism



MFG Series Y	Shackle Sizes			Body Width	Shackle Materials
MODEL #	A	B	C	D	
YT5*	3/8"	3/4"	53/64"	2"	HARDENED STAINLESS STEEL
YG1	3/8"	1 1/8"	53/64"	2"	BRASS
YG2	3/8"	1 1/8"	53/64"	2"	HARDENED STEEL
YG3	3/8"	1 1/8"	53/64"	2"	STAINLESS STEEL
YG5*	3/8"	1 1/8"	53/64"	2"	HARDENED STAINLESS STEEL
Y45*	3/8"	1 1/2"	53/64"	2"	HARDENED STAINLESS STEEL
Y61	3/8"	2"	53/64"	2"	BRASS
Y62	3/8"	2"	53/64"	2"	HARDENED STEEL
Y63	3/8"	2"	53/64"	2"	STAINLESS STEEL
Y65*	3/8"	2"	53/64"	2"	HARDENED STAINLESS STEEL
Y71	3/8"	3"	53/64"	2"	BRASS
Y72	3/8"	3"	53/64"	2"	HARDENED STEEL
Y73	3/8"	3"	53/64"	2"	STAINLESS STEEL
Y92	3/8"	5"	53/64"	2"	HARDENED STEEL

* Meets or exceeds grade 6 of the ASTM F883 standards for cutting
Key-retaining feature available for all models in this section.



High Security Padlocks (Double Ball Locking)

Wilson Bohannon High Security padlocks are specifically designed for high security areas such as government facilities, security gates, utility substations, and industries in a highly corrosive environment.



Interchangeable Core Padlocks

Industrial Plants Railroads Harsh Weather Conditions
 Tool Boxes Government



Manufacturing Facilities (OEM) Storage Buildings
 Substations Waste Equipment Utility Industry
 Security Gates Trucks Shipping & Cargo Containers
 Sheds Safety Lockout/Tagout

Interchangeable Core Padlocks

Interchangeable Core Padlocks (Double Ball Locking)

Interchangeable core (IC) locks are the padlock solution when security has been compromised. For example, when a key is lost or stolen, or when a personnel change takes place. The core in an interchangeable core padlock can be extracted in seconds from one padlock, and then installed into another - effectively re-keying the padlock. The extracted cores can then be recombined at your convenience and stored for future use.




Cores may be ordered both as part of a complete Wilson Bohannon interchangeable core padlock assembly, or separately, keyed up and ready to plug into your system.

WB Highlights


- Rustproof solid brass construction.
- Multiple keying options for large facilities and institutions.
- Stainless steel double-ball locking for added security.
- Accepts Arrow™, Best™, Falcon™ and KSP™ and comparable cores (6 or 7 pin – spacers not needed).
- Available key or non-key retaining.
- Customized identification and numbering available.
- Colored or brass tags and brass or steel chains also available.

Interchangeable Core Series




Interchangeable Core Padlocks (Double Ball Locking)

Series 84 - 1 3/4" Body Width 6-7 Pin Removable Core Mechanism




MFG Series 84	Shackle Sizes			Body Width	Shackle Materials
MODEL #	A	B	C	D	
84T5	9/32"	3/4"	25/32"	1 3/4"	HARDENED STAINLESS STEEL
8411	9/32"	1 1/8"	25/32"	1 3/4"	BRASS
8412	9/32"	1 1/8"	25/32"	1 3/4"	HARDENED STEEL
8413	9/32"	1 1/8"	25/32"	1 3/4"	STAINLESS STEEL
84X5	9/32"	1 1/2"	25/32"	1 3/4"	HARDENED STAINLESS STEEL
8421	9/32"	2"	25/32"	1 3/4"	BRASS
8422	9/32"	2"	25/32"	1 3/4"	HARDENED STEEL
8423	9/32"	2"	25/32"	1 3/4"	STAINLESS STEEL
8431	9/32"	3"	25/32"	1 3/4"	BRASS
8432	9/32"	3"	25/32"	1 3/4"	HARDENED STEEL
8433	9/32"	3"	25/32"	1 3/4"	STAINLESS STEEL

Key-retaining feature available for all models in this section.



Interchangeable Core Padlocks (Double Ball Locking)

Series 85 - 1 3/4" Body Width
6-7 Pin Removable Core Mechanism



MFG Series 85	Shackle Sizes			Body Width	Shackle Materials
MODEL #	A	B	C	D	
85T5*	5/16"	3/4"	27/32"	1 3/4"	HARDENED STAINLESS STEEL
8511	5/16"	1 1/8"	27/32"	1 3/4"	BRASS
8512	5/16"	1 1/8"	27/32"	1 3/4"	HARDENED STEEL
8513	5/16"	1 1/8"	27/32"	1 3/4"	STAINLESS STEEL
8515*	5/16"	1 1/8"	27/32"	1 3/4"	HARDENED STAINLESS STEEL
85X3	5/16"	1 1/2"	27/32"	1 3/4"	STAINLESS STEEL
85X5*	5/16"	1 1/2"	27/32"	1 3/4"	HARDENED STAINLESS STEEL
8521	5/16"	2"	27/32"	1 3/4"	BRASS
8522	5/16"	2"	27/32"	1 3/4"	HARDENED STEEL
8523	5/16"	2"	27/32"	1 3/4"	STAINLESS STEEL
8525*	5/16"	2"	27/32"	1 3/4"	HARDENED STAINLESS STEEL
8531	5/16"	3"	27/32"	1 3/4"	BRASS
8532	5/16"	3"	27/32"	1 3/4"	HARDENED STEEL
8533	5/16"	3"	27/32"	1 3/4"	STAINLESS STEEL
8542	5/16"	4"	27/32"	1 3/4"	HARDENED STEEL

* Meets or exceeds grade 5 of the ASTM F883 standards for cutting
Key-retaining feature available for all models in this section.



Interchangeable Core Padlocks (Double Ball Locking)

Series 86 - 2" Body Width
6-7 Pin Removable Core Mechanism



MFG Series 86	Shackle Sizes			Body Width	Shackle Materials
MODEL #	A	B	C	D	
86T5*	3/8"	3/4"	53/64"	2"	HARDENED STAINLESS STEEL
8611	3/8"	1 1/8"	53/64"	2"	BRASS
8612	3/8"	1 1/8"	53/64"	2"	HARDENED STEEL
8613	3/8"	1 1/8"	53/64"	2"	STAINLESS STEEL
8615*	3/8"	1 1/8"	53/64"	2"	HARDENED STAINLESS STEEL
86X5*	3/8"	1 1/2"	53/64"	2"	HARDENED STAINLESS STEEL
8621	3/8"	2"	53/64"	2"	BRASS
8622	3/8"	2"	53/64"	2"	HARDENED STEEL
8623	3/8"	2"	53/64"	2"	STAINLESS STEEL
8625*	3/8"	2"	53/64"	2"	HARDENED STAINLESS STEEL
8631	3/8"	3"	53/64"	2"	BRASS
8632	3/8"	3"	53/64"	2"	HARDENED STEEL
8633	3/8"	3"	53/64"	2"	STAINLESS STEEL
8652	3/8"	5"	53/64"	2"	HARDENED STEEL

* Meets or exceeds grade 6 of the ASTM F883 standards for cutting
Key-retaining feature available for all models in this section.



**Interchangeable Core Padlocks (Double Ball Locking)
IC Cores**



Part #	Description	Keyway Profile	Finishes
			#4 - Satin Brass #26D - Satin Chromium Plated
Uncombined Cores			
WB206	6 PIN CORE	(CHOOSE FROM BELOW)	#4 or #26D
WB207	7 PIN CORE	(CHOOSE FROM BELOW)	#4 or #26D
- ORDER EXAMPLE: WB206-A-26D UNCOMBINED -			
Combined Cores			
WB206C	7 PIN CORE	(CHOOSE FROM BELOW)	#4 or #26D
WB207C	7 PIN CORE	(CHOOSE FROM BELOW)	#4 or #26D
- ORDER EXAMPLE: WB206C-A-26D COMBINED -			

Keyway Profile Available



Door Key Compatible Padlocks

Corbin

Kwikset

Arrow

Russwin



Schlage

Weiser

Lori

Sargent

Yale

Door Key Compatible (Key-In-Knob)

For convenience and security control, Wilson Bohannon padlocks can be keyed to any or all of your door keys. One key works for multiple applications – front door, side door, fence gate, tool crib, and meters.



Our Key-in-Knob padlocks are compatible with select Arrow™, Corbin™, Kwikset™, Russwin™, Sargent™, Schlage™, Weiser™ and Yale™ Key-in-Knob Cylinders. Available with Lori™ or Schlage™ style drivers and brass or stainless steel cylinder retainers.



WB Highlights

- 29 Wilson Bohannon padlock models available.
- Solid brass and stainless steel construction to prevent rusting and extend padlock life.
- Available with US-4 Brass or 26-D Chrome finishes.
- Double ball locking provides highest resistance to pulling or prying.
- Available key retaining and non-key retaining.

WB Door Key Compatible Padlock Models


Series 88 - 2" Body Width
Series 89 - 2" Body Width



Door Key Compatible (Key-In-Knob)

Series 88 - 2" Body Width

Removable Core Mechanism




MFG Series 88	Shackle Sizes			Body Width	Shackle Materials
MODEL #	A	B	C	D	
88T5*	5/16"	3/4"	27/32"	2"	HARDENED STAINLESS STEEL
8811	5/16"	1 1/8"	27/32"	2"	BRASS
8812	5/16"	1 1/8"	27/32"	2"	HARDENED STEEL
8813	5/16"	1 1/8"	27/32"	2"	STAINLESS STEEL
8815*	5/16"	1 1/8"	27/32"	2"	HARDENED STAINLESS STEEL
88X3	5/16"	1 1/2"	27/32"	2"	STAINLESS STEEL
88X5*	5/16"	1 1/2"	27/32"	2"	HARDENED STAINLESS STEEL
8821	5/16"	2"	27/32"	2"	BRASS
8822	5/16"	2"	27/32"	2"	HARDENED STEEL
8823	5/16"	2"	27/32"	2"	STAINLESS STEEL
8825*	5/16"	2"	27/32"	2"	HARDENED STAINLESS STEEL
8831	5/16"	3"	27/32"	2"	BRASS
8832	5/16"	3"	27/32"	2"	HARDENED STEEL
8833	5/16"	3"	27/32"	2"	STAINLESS STEEL
8842	5/16"	4"	27/32"	2"	HARDENED STEEL

* Meets or exceeds grade 5 of the ASTM F883 standards for cutting
Key-retaining feature available for all models in this section.

Door Key Compatible (Key-In-Knob)

**Series 89 -
2" Body Width**

Removable Core
Mechanism



MFG Series 89	Shackle Sizes			Body Width	Shackle Materials
MODEL #	A	B	C	D	
89T5*	3/8"	3/4"	53/64"	2"	HARDENED STAINLESS STEEL
8911	3/8"	1 1/8"	53/64"	2"	BRASS
8912	3/8"	1 1/8"	53/64"	2"	HARDENED STEEL
8913	3/8"	1 1/8"	53/64"	2"	STAINLESS STEEL
8915*	3/8"	1 1/8"	53/64"	2"	HARDENED STAINLESS STEEL
89X5*	3/8"	1 1/2"	53/64"	2"	HARDENED STAINLESS STEEL
8921	3/8"	2"	53/64"	2"	BRASS
8922	3/8"	2"	53/64"	2"	HARDENED STEEL
8923	3/8"	2"	53/64"	2"	STAINLESS STEEL
8925*	3/8"	2"	53/64"	2"	HARDENED STAINLESS STEEL
8931	3/8"	3"	53/64"	2"	BRASS
8932	3/8"	3"	53/64"	2"	HARDENED STEEL
8933	3/8"	3"	53/64"	2"	STAINLESS STEEL
8992	3/8"	5"	53/64"	2"	HARDENED STEEL

* Meets or exceeds grade 6 of the ASTM F883 standards for cutting
Key-retaining feature available for all models in this section.



Cylinders



Cylinders

Rims and Mortise



Rim and Mortise cylinders may be keyed to integrate with most existing Wilson Bohannon keying systems, and can be adapted to most other standard OEM keyways and systems.

Both Rim and Mortise cylinders are 1 1/8" in length with beauty rings.

Mortise Cylinder Models



MCYL - US3

- Brass finish and beauty ring
- Length 1 1/8"
- Fits standard door




MCYL - US26D


- Satin Chromium finish and beauty ring
- Length 1 1/8"
- Fits standard door

Cam Styles

Mortise Cylinders are available in seven different cam styles.



1-Standard Cam




2-Adams Rite Cam




3-Clover Corbin/Ruswin Best Cam




4-Schlage Cam



5-Sargent/Yale Cam



6-Segal/Emhart Cam



7-Lori Deadbolt Cam

Rim Cylinder Models



RCYL - US3

- Brass finish and beauty ring
- Length 1 1/8"
- Breakaway tail piece
- Fits standard door



RCYL - US26D

- Satin Chromium finish and beauty ring
- Length 1 1/8"
- Breakaway tail piece
- Fits standard door

Tail Piece Lengths

Rim cylinders feature two sizes of breakaway tailpiece to fit the thickness of most standard doors.



1-Standard 1 3/4"



2-Long 2 3/8"



Accessories



Accessories

Sometimes it's the little things - like accessories - that make all the difference. We offer just about every padlock accessory there is:

-  Boots
-  Caps
-  Chains - Shackle and Body
-  Frangible Shackles
-  ID Tags
-  Key Retaining Padlocks
-  Keyhole Covers
-  Laser Engraving
-  Lockout Hasps
-  Lubricant
-  Numbered Locks and Keys
-  Pin Striping
-  Sleeves
-  Tamper Evident Padlocks
-  Paint
-  Graphite



Accessories

Boots

Especially popular in the transportation industry, rubber boots keep mud, slush and other undesirables from entering, accumulating (and sometimes, freezing) inside the keyhole. Shackle strap keeps the boot from being misplaced when the keyhole is accessed. Available in 1 1/2", 1 3/4" and 2" versions.



Caps



Often used as an integral part of a lockout/tagout program, caps add flexibility to your color coding system. The long-lasting caps are removable and interchangeable; but cannot be removed when the padlock is locked. Available in all OSHA colors, or in any other color you desire.

Chains - Shackle and Body

When you need to safeguard your padlocks and prevent them from being dropped or accidentally removed, Wilson Bohannon offers two varieties of security chains.

Shackle Chain - secured when the padlock is locked; the chain is easily removed when the padlock is unlocked.

Body Chain - the chain is permanently attached to the lock body.



Chains are available in 9" or 15", in brass or steel. Heavy 3/0 Bulldog chain also available. Custom sizes available.

Accessories



Frangible Shackles

When speed is of the essence, these shackles can be broken off with a sharp blow. Available in brass only.


ID Tags

Identification Tags are sold individually, mounted on padlock bodies, or on shackle with collar. Round tags are available in brass or enameled aluminum in the following colors: red, blue, green, orange, silver, gold and purple. Oblong tags are available in brass only. ID tags can be custom stamped with the words and/or numbers that meet your specifications.



Key Retaining Padlock Option

Padlocks can be configured so that the key will not come out until the padlock has been locked. This option helps to prevent people accidentally forgetting to relock the padlock. Available as a "no extra charge" option on our High Security, Interchangeable Core and Door Key Compatible padlocks.



Keyhole Covers

Keyhole covers keep mud, slush and other undesirables from entering, accumulating (and sometimes, freezing) inside the keyhole.



Accessories



Laser Engraving

Now even intricate designs can be part of your custom identification. Using your digital artwork, computer-assisted laser engraving is available for tags, cores, shackles and keys. Premium laser engraving on lock bodies is available - please consult factory for more information.

Lock Out Hasps

These safety lockout hasps are specifically designed for locking out power sources such as disconnects, switches or valves. Zinc-plated to resist rusting, these hasps feature interlocking tabs that prevent improper removal. Red vinyl coating serves as a warning tag.



Each hasp will take up to 6 padlocks and accept a maximum shackle diameter of 5/16". Available in 1" or 1 1/2" I.D. locking mechanism dimensions.

Lubricant

Powdered graphite is the best means to lubricate the metal working parts of your Wilson Bohannon padlocks.



Numbered Locks and Keys

For added security and instant identification, we can provide numbered padlocks and keys.



Accessories



Pin Striping

Customize your padlocks with 1/4" or 1/2" vinyl pin striping. Available in several colors.


Sleeves

Often used as an integral part of a lockout/tagout program, our durable sleeves are perfect solution for a long-lasting color coding system. Quickly differentiate padlocks from different departments or units with sleeves available in the many colors.



Tamper Evident Padlocks

These padlocks provide all the protection and reusability of Wilson Bohannon padlocks, along with the tamper indication/deterrence feature of single-use seals. Tamper Evident Padlocks feature a 1/8" diameter hole that passes through the body and shackle. Applying an indicative seal through this cavity prevents the padlock from being opened without first having to remove and destroy the seal.



Custom Identification



Custom Identification

Engraving and Stamping

For added security and instant identification, we can custom engrave or stamp your padlocks with name, number, symbol, company logo, or whatever you want.



Color Coding

Quickly differentiate padlocks from different departments or units by color coding them in a variety of ways:

- Painted bodies
- Pin striping
- Sleeves
- Caps
- ID tags

Colors Available

Paint colors:

OSHA Safety Colors are standard – Red, Blue, Green, Yellow and Orange.

Pin Striping colors:

Red, Blue, Green, Yellow, Black, Purple, Orange, White and Gold.

Sleeve colors:

Red and Blue.

Cap colors:

Red, Blue, Green, Yellow, Black, Purple, Orange and White.

Tag colors:

Red, Blue, Green, Yellow, Black, Purple, Orange, White and Gold.



NOTE: We can provide painted padlock bodies and caps in any custom color you need. Please provide PMS number or sample of color you require.



Lockout/Tagout Systems



Lockout/Tagout Systems

OSHA's "Lockout/Tagout" (lock and tag) safety procedure requires locking out machinery or its power source, thus rendering the equipment inoperable during maintenance or service operations. Wilson Bohannon offers a variety of safety lockout products:



- Lockout hasps.
- Custom monogramming on locks, keys and/or tags.
- Anodized aluminum tags.
- Color coding with paint, sleeves and/or caps - in a wide variety of colors.
- Solid brass padlocks keyed alike, different or master keyed.

Lockout Hasps

These safety lockout hasps are specifically designed for locking out power sources such as disconnects, switches or valves. Zinc-plated to resist rusting, these hasps feature interlocking tabs that prevent improper removal. Red vinyl coating serves as a warning tag.



Each hasp will take up to 6 padlocks, and accept a maximum shackle diameter of 5/16". Available in 1" (model #HSL-1) or 1 1/2" (model # HSL-2) I.D. locking mechanism dimensions.



Lockout/Tagout Systems

Custom Identification

For added security and instant identification, we can custom engrave your padlocks with name, number, artwork, logo – whatever you want. We can also number tags, locks and keys to your specifications.



Color Coding

Quickly differentiate padlocks from different departments or units by color coding them in a variety of ways:

- Painted bodies
- Pin striping
- Sleeves
- Caps
- ID tags



NOTE: We can provide painted padlock bodies and caps in any color you need. Please provide PMS number or sample of color you require.

Sleeves

Often used as an integral part of a lockout/tagout program, our durable sleeves are perfect solution for a long-lasting color coding system. Quickly differentiate padlocks from different departments or units with sleeves available in the many colors.



Colors Available

Paint colors:

OSHA Safety Colors are standard - Red, Blue, Green, Yellow and Orange.

Pin Striping colors:

Red, Blue, Green, Yellow, Black, Purple, Orange, White and Gold.

Sleeve colors:

Red and Blue.

Cap colors:

Red, Blue, Green, Yellow, Black, Purple, Orange and White.

Tag colors:

Red, Blue, Green, Yellow, Black, Purple, Orange, White and Gold.

Lockout/Tagout Systems

Caps

Often used as an integral part of a lockout/tagout program, caps add flexibility to your color coding system. The long-lasting caps are removable and interchangeable; but cannot be removed when the padlock is locked. Available in the many standard colors - or in any other color you desire.




ID Tags

Identification Tags are sold individually, mounted on padlock bodies, or on shackle with collar. Round tags are available in brass or enameled aluminum in the following colors: red, blue, green, orange, silver, gold and purple. Oblong tags are available in brass only. ID tags can be custom stamped with the words and/or numbers that meet your specifications.



Tamper Evident Padlocks

These padlocks provide all the protection and reusability of Wilson Bohannon padlocks, along with the tamper indication/deterrence feature of single-use seals. Tamper Evident Padlocks feature a 1/8" diameter bored hole that passes through the body and shackle. Applying an indicative seal through this cavity prevents the padlock from being opened without first having to remove and destroy the seal.



Keying Options




NOTE: We can provide painted padlock bodies and caps in any color you need. Please provide PMS number or sample of color you require.



Keyed Alike and Keyed Differenty

Keyed Alike Padlocks

All padlocks are operated by the same key. Each of these keyed alike padlocks is provided with one key. Additional keys may be purchased separately.



Keyed Different Padlocks


Each padlock has its own unique key. Each keyed different padlock is provided with two keys. Additional keys may be purchased separately.



Master Key System


A master key is a single key that will open multiple locks/sets that are each keyed separately. Once the system has been set up, additional locks can be added to accommodate future expansion.

Wilson Bohannon can work with you to create a master keyed system that fits your safety/security needs and matches up with your organization's growth plans.



Grand Master Key System

A grand master key is one that will open locks managed by multiple master keys. We can assist you in developing your grand master keying systems if needed.



Keys

Cut Keys

Wilson Bohannon factory cut keys are an identical match to the specifications of your Wilson Bohannon padlock or cylinder. This is especially important for master keying systems.



Three Standard Key Sizes
Wilson Bohannon keys come in three standard sizes.



For your existing Wilson Bohannon padlock(s), we can provide cut keys to fit them. This process is much faster if you can provide the reorder number, located on your invoice and stamped on your Purchase Order.

Blank Keys



WB Key Model Numbers		
Key Size	Blank	Cut
2 1/16"	KB6	CK6
1 7/8"	KB5	CK5
1 9/16"	KB4	CK4

If you prefer to have your keys duplicated locally, we can provide key blanks to fit your padlock(s) as well.

Keyways

This keyway chart will assist you to find the correct key blank you need.

WB A KEYWAY	WB B KEYWAY	WB C KEYWAY	WB D KEYWAY	WB E KEYWAY	WB F KEYWAY
WB BM KEYWAY <small>SAME PROFILE AS B .009 SHALLOWER</small>	WB M KEYWAY <small>FOR A, B & C KEYS</small>	WB R KEYWAY	WB RR KEYWAY	WB AR KEYWAY	WB BR KEYWAY
WB CR KEYWAY	WB DR KEYWAY	WB FR KEYWAY	WB C10 KEYWAY	WB C10R KEYWAY	WB DX10 KEYWAY
WB C20 KEYWAY	WB DX20 KEYWAY	WB M1 KEYWAY	WB MA3 KEYWAY	WB Y1 KEYWAY	WB Y8 KEYWAY

Certain keyways are restricted. Please call factory when ordering.

Keying to Other Manufacturers



No need to get rid of existing padlocks. We can make solid brass padlocks that will key into your existing system.

Ask us how.

Ordering Information



Ordering Information

Overview

At Wilson Bohannon we are committed to making ordering as easy - and enjoyable - as possible.

The following four pages detail the model numbering and ordering information for each of our four padlock product categories:



1. General Purpose (Classic)
2. High Security
3. Interchangeable Core (IC)
4. Door Key Compatible (Key-in-Knob)

Each category padlock page describes:

1. The basic parts of that padlock that relate with our model numbers.
2. How to read or identify our typical three-digit model numbers.
3. How to read or identify our additional keying and accessories model numbers.

If you have any questions, please don't hesitate to contact us. Our friendly, knowledgeable WB padlock experts are standing by, Monday through Friday, 8am to 5pm EST.

Please note that locks keyed alike are furnished with one key, and locks keyed differently are furnished with two keys.




Ordering Information

General Purpose "Classic" Padlocks

Phone - 800-382-3639
 Fax - 740-383-1653
 Email - wbco@padlocks.com

Wilson Bohannon
 621 Buckeye St.
 Marion, OH 43302



The Parts of a Padlock for Model Numbering

How to Read WB Model Numbers

Typical Three Digit Model Number - ① ② ③

Additional Digits in the Model Number - ① ② ③ ④ ⑤

- ① Series Number
- ② Shackle Clearance
- ③ Shackle Material

- 1 = Brass
- 2 = Case Hardened Steel
- 3 = 304 Stainless Steel
- 5 = 416 Hardened Stainless Steel

For Additional Accessories, Please Contact Us!

④ Keying

- 0 = "0" Bitted
- 1 = KA: Keyed Alike
- 2 = KD: Keyed Differently
- 3 = KA-MK: Keyed Alike, Master Keyed
- 4 = KD-MK: Keyed Differently, Master Keyed
- 5 = KA-GMK: Keyed Alike, Grand Master Keyed
- 6 = KD-GMK: Keyed Differently, Grand Master Keyed
- 7 = Special Keyway

Locks keyed alike - 1 key furnished
 Locks keyed differently - 2 keys furnished

⑤ Accessories

- 0 = None
- 1 = 9" Steel Chain Attached to Body
- 2 = 9" Steel Chain Attached to Shackle
- 3 = 9" Brass Chain Attached to Body
- 4 = 9" Brass Chain Attached to Shackle
- 5 = 15" Brass Chain Attached to Body
- 6 = 15" Brass Chain Attached to Shackle
- 7 = Brass ID Tag Attached to Body
- 8 = Brass ID Tag Attached to Shackle
- 9 = Enameled Aluminum Tag Attached to Body
- A = Enameled Aluminum Tag Attached to Shackle


Additional Information

Minimum order one dozen. | For special shackles please call. | Lubricate padlocks with powdered graphite.

Ordering Information
High Security Padlocks

Phone - 800-382-3639
Fax - 740-383-1653
Email - wbcopadlocks.com

Wilson Bohannon
621 Buckeye St.
Marion, OH 43302



The Parts of a Padlock for Model Numbering

How to Read WB Model Numbers

Typical Three Digit Model Number - (1) (2) (3)
Additional Digits in the Model Number - (1) (2) (3) (4) (5)

- (1) **Series Number**
- (2) **Shackle Clearance**
- (3) **Shackle Material**
1 = Brass
2 = Case Hardened Steel
3 = 304 Stainless Steel
5 = 416 Hardened Stainless Steel

For Additional Accessories, Please Contact Us!

- (4) **Keying**
0 = "0" Bitted
1 = KA: Keyed Alike
2 = KD: Keyed Differently
3 = KA-MK: Keyed Alike, Master Keyed
4 = KD-MK: Keyed Differently, Master Keyed
5 = KA-GMK: Keyed Alike, Grand Master Keyed
6 = KD-GMK: Keyed Differently, Grand Master Keyed
7 = Special Keyway
Locks keyed alike - 1 key furnished
Locks keyed differently - 2 keys furnished
- (5) **Accessories**
0 = None
1 = 9" Steel Chain Attached to Body
2 = 9" Steel Chain Attached to Shackle
3 = 9" Brass Chain Attached to Body
4 = 9" Brass Chain Attached to Shackle
5 = 15" Brass Chain Attached to Body
6 = 15" Brass Chain Attached to Shackle
7 = Brass ID Tag Attached to Body
8 = Brass ID Tag Attached to Shackle
9 = Enameled Aluminum Tag Attached to Body
A = Enameled Aluminum Tag Attached to Shackle

Additional Information

Minimum order one dozen. | For special shackles please call. | Lubricate padlocks with powdered graphite.


PLEASE ADD "KR" TO YOUR ORDER IF YOU WANT TO ADD THE KEY RETAINING OPTION.



Ordering Information
Interchangeable Core Padlocks

Phone - 800-382-3639
Fax - 740-383-1653
Email - wbcopadlocks.com

Wilson Bohannon
621 Buckeye St.
Marion, OH 43302



The Parts of an IC Padlock for Model Numbering

How to Read WB Interchangeable Core Model Numbers

Typical Five Digit Model Number - (1) and (2) (3) (4) (5)
(1) and (2) **Series Number** (3) **Shackle Clearance** (4) **Shackle Material**
1 = Brass
2 = Case Hardened Steel
3 = 304 Stainless Steel
5 = 416 Hardened Stainless Steel

For Additional Accessories, Please Contact Us!

Please specify the following when placing an order for interchangeable core padlocks:

1. Add "KR" to the model number if you want to add the Key Retaining Option.

Please specify the following when placing an order for cores:

1. Specify 6 or 7-Pin Core
2. Specify Keyway Profile
3. Specify Core Finish: Satin Brass (#4) or Satin Chromium Plated (#26D)

- (5) **Accessories**
0 = None
1 = 9" Steel Chain Attached to Body
2 = 9" Steel Chain Attached to Shackle
3 = 9" Brass Chain Attached to Body
4 = 9" Brass Chain Attached to Shackle
5 = 15" Brass Chain Attached to Body
6 = 15" Brass Chain Attached to Shackle
7 = Brass ID Tag Attached to Body
8 = Brass ID Tag Attached to Shackle
9 = Enameled Aluminum Tag Attached to Body
A = Enameled Aluminum Tag Attached to Shackle


Additional Information

Minimum order one dozen. | For special shackles please call. | Lubricate padlocks with powdered graphite.

Ordering Information Door Key Compatible

Phone - 800-382-3639
Fax - 740-383-1653
Email - wbcopadlocks.com

Wilson Bohannon
621 Buckeye St.
Marion, OH 43302



The Parts of a Padlock for Model Numbering

How to Read WB Door Key Compatible Model Numbers

Typical Five Digit Model Number - (1) and (2) (3) (4) (5)

(1) and (2) **Series Number** (3) **Shackle Clearance** (4) **Shackle Material**

- 1 = Brass
- 2 = Case Hardened Steel
- 3 = 304 Stainless Steel
- 5 = 416 Hardened Stainless Steel

For Additional Accessories, Please Contact Us!


Please specify the following when placing an order for door key compatible padlocks:

(5) **Accessories**

- 0 = None
 - 1 = 9" Steel Chain Attached to Body
 - 2 = 9" Steel Chain Attached to Shackle
 - 3 = 9" Brass Chain Attached to Body
 - 4 = 9" Brass Chain Attached to Shackle
 - 5 = 15" Brass Chain Attached to Body
 - 6 = 15" Brass Chain Attached to Shackle
 - 7 = Brass ID Tag Attached to Body
 - 8 = Brass ID Tag Attached to Shackle
 - 9 = Enameled Aluminum Tag Attached to Body
 - A = Enameled Aluminum Tag Attached to Shackle
1. Add "KR" to the model number if you want to add the Key Retaining Option.
 2. Specify either Schlage™ or Lori™ Driver.
 3. Specify either Brass (standard) or Stainless Steel Cylinder Retainer.

Additional Information

Minimum order one dozen. | For special shackles please call. | Lubricate padlocks with powdered graphite.



Wilson Bohannon Padlock Company

621 Buckeye Street

Marion, OH 43302

800-382-3639 | www.padlocks.com

wbc@padlocks.com

"Locks Since Lincoln"